

CHAINWAY

R3

Desktop RFID Reader



Chainway R3 is a newly-developed desktop UHF reader, supporting Impinj Gen2X. It is compatible with Windows/Android/OS applications, and enables short read distance over 100cm. Combined with high-efficiency collision processing algorithm, it delivers fast reading and writing of tags and maintains high identification rate as well. And it allows data transmission via Bluetooth, Type C USB. R3 can be deployed in retail collection, logistics, identity verification, smart parking, access control, anti-counterfeiting system, production process control, etc.

Specification

Physical Characteristics	Dimensions	318×318×20mm
	Weight	1133g / 39.96oz.
	Port	USB, DC
	Power Supply Protocol	USB 2.0, DC
	LED Indicator	Power
BT connection status		
Working (flash when scanning tags)		
Developing Environment	SDK	USB, Android / Windows
		Bluetooth, Android / IOS
Communication	USB Type C	Data Communication via USB
	BT	Bluetooth Low Energy (BLE) 4.0
User Environment	Operating Temp.	-4°F to 122°F / -20°C to 50°C
	Storage Temp.	-40°F to 158°F / -40°C to 70°C
	Humidity	5%RH -95%RH non condensing
	Sealing	IP65
UHF	Engine	Based on Impinj E Series chips
	Frequency	865-868MHz / 920-925MHz / 902-928MHz (custom-design for frequency band)
	Impinj Gen2X	Supported
	Protocol	EPC C1 GEN2 / ISO18000-6C
	Output Power	1dBm-30dBm, 1dBm (stepper)
	Multi-tag Inventory	100+ tags (in 5s)
	Read Range	>100cm Impinj M750 tag

CHAINWAY

Shenzhen Chainway Information
Technology Co., Ltd

Email:
sales@chainway.net

Web:
<https://www.chainway.net>

Address:
9F, Building2, Phase 2, Gaoxinqi Industrial
Park, Liuxian 1st Rd., Shenzhen,
Guangdong 518102, China

Notice: Product specifications are subject to change without
prior notice. | Model: R3 | Version: V2.1